

# Kerr, Park share Canadian Open lead

**DEAN BENNETT**  
The Canadian Press

EDMONTON  
Cristie Kerr grabbed a share of the lead Friday at the Canadian Women's Open, duelling co-leader Inbee Park almost shot for shot while overcoming the errant slam of a porta-potty door.

Kerr shot a four-under 66 for a second consecutive day, while Park carded a five-under 65, leaving both tied for top spot after two rounds at the Royal Mayfair Golf Club.

Both were 8-under 132 in a day of golf under slightly overcast skies with gentle winds.

Kerr, who won the Canadian Open in 2006, said it's a challenging course.

"It's a course where you have to really shape the ball off the tee and be creative," said the 35-year-old American.

"I played very well the last couple of days. It's unfortunate I bogeyed the last hole today, but that's what happens when you hit an errant shot and have to chip out to a difficult pin."

Making par on the par-4 final hole became a longshot for Kerr when she drilled her tee shot into the left rough.

But a bad hole almost became disastrous when the swing on her approach

shot was interrupted by the ka-thwam of a nearby spring-loaded portable toilet door.

"I mean, (the noise) really scared me," she said.

"I could have hooked (the ball) in the water."

Kerr was in the same group as Park, the top-ranked player in the world.

The 25-year-old South Korean has won six tournaments on the LPGA tour this year, including three majors.

Earlier this month, the pressure was on when she had a chance at the Women's British Open to become the first golfer to win four majors in a tournament year.

She said the nerves got to her a bit on the Old Course at St. Andrews, and she ended up tied for 42nd.

Park said the time off since then has helped her game in Edmonton.

"I worked on a couple of things after that because I wasn't hitting it my best at the British Open. I'm obviously hitting it a lot better this week and putting a lot better," she said.

"On the greens, I was really comfortable because they're so pure wherever you hit it, it's just going to go right there."

Park followed up five birdies in the first round on Thursday with seven on Friday.

Karine Icher of France logged a four-

under 66 to finish tied with American Angela Stanford at one shot back heading into weekend play for the US\$2-million purse.

"Good putting made the difference today," said Icher, a 34-year-old seeking her first win on the tour.

"The course is quite hard, (with) tricky fairways and big rough, so I'm looking to get some good drives and putts on the weekend."

Lydia Ko, the defending tournament champion, came into Friday tied for first, but finished the day with Laura Davies and Paula Creamer two shots off the pace.

Ko shot a lights out five-under 65 in the first round, but managed only a one-under 69 Friday.

"I've just got to play my own game and hopefully get some more putts rolling in," said the 16-year-old from New Zealand.

England's Charley Hull, one of the stars of last weekend's European win over the Americans at the Solheim Cup, continued her stellar play.

The 17-year-old from carded a four-under 66 to vault from 20th spot into a four-way tie with Americans Kathleen Ekey, Stacy Prammanasudh and South Korea's Hee Young Park, at three shots back.



CANADIAN PRESS/JASON FRANSON

Christie Kerr from USA reacts to making the putt on the sixth green during round two of the LPGA Canadian Women's Open in Edmonton on Friday.



## PUBLIC NOTICES

Stay informed go to [www.medicinehat.ca](http://www.medicinehat.ca)

**8AM - 4PM SERVICES**  
Electric Outages 403.529.8260  
Gas Emergency 403.529.8191  
Water & Sewer Emergency 403.502.8042  
After Hours Special Services  
403.526.2828

### LOCAL AUTHORITIES ELECTION ACT (SECTION 79)

#### HOME BOUND ELECTORS AND BRAILLE BALLOT TEMPLATE REQUEST (ELECTORS WITH PHYSICAL INCAPACITY)

If you are:

- an elector with disabilities or physical incapacity and are unable to attend the Advance Poll or Voting Station in your area, you may make arrangements for a mobile Voting Station to come to your residence during the hours of 10:00 a.m. and 7:30 p.m. on Election Day, Monday, October 21, 2013, or
- an elector with a visual impairment and require a Braille ballot template at your voting station, please make arrangements as detailed below

Requests for these services must be made/received before Wednesday, October 16, 2013 by phoning Debby Schmidt, Assistant Returning Officer, 529-8115 or Kathy Eden, Assistant Returning Officer, 529-8220.

Angela Cruickshank  
Returning Officer  
Phone: (403) 529-8234



The Solid Waste Utility currently has bags of finished yard waste compost (SureGrow) for sale, while quantities last.

SureGrow is a class A compost that greatly enhances overall soil structure and improves movement of air and water within the soil - essential to healthy plant growth. Plants grown in soil amended with compost tend to be healthier, require less watering and are more disease and pest resistant.

Bagged compost can be purchased for \$5.00 per 20 kg bag at the Landfill Scale House, during summer hours, which are:

**8 am to 6 pm, Monday through Friday**  
**8 am to 5 pm, Saturday and Sunday**

For more information call  
**403.529.8176** or visit  
[www.medicinehat.ca](http://www.medicinehat.ca)

### ANNUAL SCHEDULED MAINTENANCE

This shutdown will not affect the EnCana Arena Regular Operations. During the shut-down The Fitness Room will be open 8:00 a.m. - 4:00 p.m. (Monday to Friday)

The Kinsmen Aquatic Park (the pool at the Family Leisure Centre) will be CLOSED September 3rd - September 15th 2013 (inclusive).



### FIRE HYDRANT & WATER MAIN FLUSHING

The Environmental Utilities Department will test and flush fire hydrants plus water mains until October 2013. This is an annual maintenance activity that maintains water quality and system infrastructure. Residents may notice some discoloring of water, which is not harmful and will disappear when flushing is complete. Fluctuating pressure may also be noticed. Should discoloration persist beyond three hours, you may wish to flush the water from your home for a few minutes by watering your lawn or running your tap. Please note that the flushing in your home will not correct private plumbing/corrosion problems. Thank you for your understanding.



The City of Medicine Hat and your partners in safe drinking water

### NOTICE OF PUBLIC HEARINGS SUBDIVISION AND DEVELOPMENT APPEAL BOARD

**565 5 STREET SW & 2500 BOX SPRINGS BOULEVARD NW**

TAKE NOTICE THAT the following requests for a review of Stop Order and a Development Appeal will be heard by the Medicine Hat Subdivision and Development Appeal Board at Public Hearings in City Hall Council Chambers, commencing at 12:00 Noon on Thursday, September 5, 2013.

#### APPEAL #4-2013

On August 2, 2013 a Planning Officer issued a Stop Order under Bylaw #3181, section 20 of the Land Use Bylaw, and section 645 of the Municipal Government Act, RSA 2000 c.M-26.

Location: 565 5 Street SW (Lots 3, 4, 5, Block 29, Plan 2325M)  
Purpose: Review of a Stop Order for violation of a development permit for the above location. The Development Permit is considered invalid until all conditions of approval have been met. It is ordered that certain conditions must be met by September 15, 2013.

#### APPEAL #5-2013

Location: 2500 Box Springs Boulevard NW (Block 1, Plan 1311217)  
Purpose: On August 16, 2013 a Planning Officer approved a development application for a eating and dining establishment on a currently vacant site. The applicant is appealing a certain condition of the Development Permit.

If you wish to inspect any other documentation on file with regard to these matters, you may do so by attending at the City Clerk Department between the hours of 8:30 A.M. and 4:30 P.M. Monday through Friday.

Written/electronic submissions, regarding either of the above, will be accepted and placed before the Board. All submissions will be treated as public documents and must be received by the undersigned by 12:00 Noon, Thursday, August 29, 2013. Oral Submissions are normally limited to five (5) minutes.

Angela Cruickshank  
City Clerk  
580 First Street SE  
Medicine Hat, AB T1A 8E6  
Phone: 403-529-8234  
Fax: 403-529-8182  
e-mail: [angcru@medicinehat.ca](mailto:angcru@medicinehat.ca)

### DEVELOPMENT PERMITS APPROVED AUGUST 15 TO AUGUST 21, 2013 PLANNING, BUILDING DEVELOPMENT SERVICES

#### RESIDENTIAL

- 16 Hamptons Place SE (Lot 29, Block 3, Plan 0812177) Permit No. DP11134. With Conditions. Detached Garage.
- 210 Somerside Road SE (Lot 26, Block 10, Plan 1012845) Permit No. DP11135. With Conditions. Single Detached Dwelling.
- 2465 Jackson Place SE (Lot 22, Block 40, Plan 66JK) Permit No. DP11137. With Conditions. Rear Addition.
- 356 Hamptons Way SE (Lot 7, Block 2, Plan 0710821) Permit No. DP11143. With Conditions. Single Detached Dwelling.
- 275 Sierra Road SW (Lot 37, Block 33, Plan 0510654) Permit No. DP11144. With Conditions. Addition of Dining Area.
- 55 Somerside Way SE (Lot 8, Block 9, Plan 0912931) Permit No. DP11145. With Conditions. Single Detached dwelling with Attached Garage.
- 34 Park Meadows Place SE (Lot 52, Block 3, Plan 9211725) Permit No. DP11148. With Conditions. Enclosure of Existing Covered Deck.
- 584 Vista Drive SE (Lot 22, Block 4, Plan 1111036) Permit No. DP11149. With Conditions. Single Detached Dwelling.
- 26 Timothy Way SE (Lot 7, Block 4, Plan 1310496) Permit No. DP11155. With Conditions. Single Detached Dwelling with Attached Garage.
- 8 Wheatland Drive SE (Lot 9, Block 2, Plan 1310496) Permit No. DP11156. With Conditions. Single Detached Dwelling With Attached Garage.
- 22 Timothy Way SE (Lot 8, Block 4, Plan 1310496) Permit No. DP11157. With Conditions. Single Detached Dwelling with Attached Garage.
- 14 Timothy Way SE (Lot 10, Block 4, Plan 1310496) Permit No. DP11160. With Conditions. Single Detached Dwelling.
- 18 Timothy Way SE (Lot 9, Block 4, Plan 1310496) Permit No. DP11161. With Conditions. Single Detached Dwelling.
- 677 Spruce Way SE (Lot 33, Block 3, Plan 9911834) Permit No. DP11163. With Conditions. Detached Garage.
- 82 Ross Haven Place SE (Lot 75, Block 16, Plan 7911067) Permit No. DP11167. With Conditions. Existing Covered Deck.
- 126 3 Street SW (Lot 26, Block 4, Plan 833M) Permit No. DP11168. With Conditions. Attached Garage.
- 13 Rossland Street SE (Lot 2, Block 20, Plan 7810695) Permit No. DP11169. With Conditions. Detached Garage with a Gross Floor Area Variance.
- 95 Sandford Crescent SE (Lot 29, Block 14, Plan 8010961) DP11170. With Conditions. Existing Detached Garage Addition.
- 434 19 Street NE (Lot 18, Block 3, Plan 7410135) Permit No. DP11175. With Conditions. Secondary Suite.
- 18 Ross Glen Place SE (Lot 4, Block 2, Plan 7610262) Permit No. DP11153. With Conditions. Detached Garage.

#### COMMERCIAL

- 2500 Box Springs Boulevard NW (Lot - Block 1, Plan 1311217) Permit DP10786. With Conditions. Hampton Inn & Suites Hotel and Boston Pizza.
- 1289 Brier Park Way NW (Lot 7, Block A, Plan 7410784) Permit No. DP11139. With Conditions. Fascia Sign.
- 1268 Brier Park Drive NW (Lot 6, Block E, Plan 7410784) Permit No. DP11147. With Conditions. Change of Use: Vacant to Hair Salon.
- 2802 13 Avenue SE (Lot - Block E, Plan 7710947) Permit No. DP11158. With Conditions. Commercial Accessory Structure (Washroom Facility).

#### HOME OCCUPATION

- 117 Somerset Street SE (Lot 22, Block 10, Plan 0715106) Permit No. DP11132. 10 Customers Per-Week. With Conditions. Hair Salon.
- 361 Sissons Crescent SE (Lot 20, Block 6, Plan 7911278) Permit No. DP11136. Office Use Only. With Conditions. Handyman.
- 40 Somerset Lane SE (Lot - Block 62, Plan 0714706) Permit No. DP11140. Office Use Only. With Conditions. Carpentry (Mobile).
- 556 2 Street NW (Lot 27, Block 2, Plan 6296HN) Permit No. DP11141. Office Use Only. With Conditions. Excavation.
- 11 Randall Court NW (Lot 6, Block E, Plan 4480HJ) Permit No. DP11142. Office Use Only. With Conditions. General Contractor.
- 8 Cottonwood Bay SW (Lot 13, Block 1, Plan 0312295) Permit No. DP11146. Office Use Only. With Condition. Physical Therapy.
- 230 Sierra Drive SW (Lot 96, Block 29, Plan 0513195) Permit No. DP11150. Office Use Only. With Conditions. Carpentry Service (General Contractor).
- 112 Palliser Way NE (Lot 7, Block 2, Plan 8811197) Permit No. DP11159. Office Use Only. With Conditions. Bookkeeping.

A person claiming to be affected by a decision of the Development Officer or the Municipal Planning Commission may appeal to the Medicine Hat Subdivision and Development Appeal Board by completing and submitting to the City Clerk Department, the required Notice of Appeal form within fourteen (14) days of this publication. Notice of Appeal forms are available from the City Clerk Department, Second Floor, City Hall or on the City's website at [www.medicinehat.ca](http://www.medicinehat.ca)

Further information on any Development Permit may be obtained from the Planning, Building & Development Services Department, Second Floor, City Hall during normal business hours (Telephone 529-8374).